

PID:
12010039

CID:
C.1995.191

Certificato di approvazione

Approval certificate



**IMQ, ente di certificazione accreditato,
autorizza la ditta**

IMQ, accredited certification body, grants to

PRD N° 005B

Membro degli Accordi di Mutuo
Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC
Mutual Recognition Agreements

**VIMO ELETTRONICA SNC
VIA DELL'ARTIGIANATO 32/Q
20865 USMATE VELATE MB
IT - Italy**

all'uso del marchio

the licence to use the mark

IMQ-SISTEMI DI SICUREZZA

Il presente certificato è
soggetto alle condizioni
previste nel Regolamento
"MARCHI IMQ - Regolamento
per la certificazione di prodotti"
ed è relativo ai prodotti descritti
nell'Allegato al presente
certificato.



per i seguenti prodotti

for the following products

**Contatti magnetici
(Mod. CTI122MACAxxyyyzzz)**

*Opening magnetic contacts
(Model CTI122MACAxxyyyzzz)*

This certificate is subjected to the
conditions foreseen by Rules
"IMQ MARKS - RULES for
product certification" and is
relevant to the products listed in
the annex to this certificate.

<i>Emesso il Issued on</i>	2012-05-10
<i>Aggiornato il Updated on</i>	2024-02-29
<i>Sostituisce Replaces</i>	2020-12-15
<i>Scade il Expires on</i>	2027-02-28

IMQ S.p.A.

CTI122 MA CA xx yyy zzz

| | | | | |

| | | | | |_ Optional: balancing resistor in parallel with the reed
from 1 Kohm (010) to 47 Kohm (470)

| | | | | |_ Optional: balancing resistor in series with the reed
from 1 Kohm (010) to 47 Kohm (470)

| | | |_ Optional: cable length > 1 m (from 2 to 99 m)

| | |_ Optional: 4 wire further wrapped in sheath (cable), 1 m length

| |_ Optional: colour brown

|_ Colour white, 4 wire connection, section 0.22 sqmm, white, 30 cm length

Diritti di concessione | Annual Fees

SN.M000IU

EMY.120100.DA2V

*Importo modelli IMQ - rivelatori magnetici di aggressione, elettromeccanici, di vibrazione - 1201 -
Rivelatori | IMQ models - magnetics, hold-up, electromechanical - 1201 - Detectors*

1